Appendix 1 Survey Questionnaires

1. Have you been diagnosed with asthma?

Someone with 'severe asthma' has a specific type of asthma which doesn't get better with the usual medicines. Even if someone takes those medicines exactly as prescribed, a different approach is needed to control symptoms and reduce frequent asthma attacks. Severe asthma is usually diagnosed in a specialist severe asthma hospital.

- \bigcirc Yes, I have been diagnosed with asthma
- Yes, I have been diagnosed with severe asthma
- No, I have not been diagnosed with asthma
- 2. Which country in the UK do you currently live in?
- England
- Scotland
- Wales
- Northern Ireland
- I don't live in the UK
- 3. Thinking just about your diagnosis of asthma, which of the following symptoms did you experience before seeking professional help (e.g. visiting a GP or A&E)? Please tick all that apply
- Increased breathlessness
- O Cough
- Wheezing
- Unusual phlegm / sputum
- Chest infections
- Tiredness
- Low mood
- O Pain
- O Coughing up blood
- Unusual weight changes
- Other (please specify)
- O None of the above / I don't know
- 4. What caused you to notice something was wrong? Please tick all that apply
- O Nothing in particular, I just felt odd or generally unwell/rundown
- O I was finding it more difficult to play sports or exercise
- \bigcirc Daily activities such as housework were more difficult to do
- Symptoms like cough or chest infections weren't going away as I would expect or they kept recurring
- \bigcirc It was taking me longer to recover from illness or I was not recovering fully
- A healthcare professional told me something was wrong
- O Someone close to me noticed a change in me
- Other (please specify)
- O None of the above / I don't know
- 5. What did you do after you noticed you were experiencing symptoms?

This question is asking about what you did when you first noticed your symptoms, up to and including when you first sought professional help (e.g. visiting a GP or A&E). So does not include referrals or specialist appointments that may have happened later on.

Please rank these in the order that you did them. It may be best to read through all the options before answering. For options that don't apply to you, select 'N/A'.

	1 st	2 nd	3 rd	4 th	5 th	6 th	7 th	8 th	N/A
Did nothing, hoping symptoms would go away	0	0	0	0	0	0	0	0	0
Used at home remedies or alternative medicine	0	0	0	0	0	0	0	0	0
Searched the internet	0	0	0	0	0	0	0	0	0
Spoke to family & friends	0	0	0	0	0	0	0	0	0
Spoke to a pharmacist	0	0	0	0	0	0	0	0	0
Sought telephone advice from NHS 111	0	0	0	0	0	0	0	0	0
Went to the GP	0	0	0	0	0	0	0	0	0
Felt concerned and rang 999	0	0	0	0	0	0	0	0	0

If you did multiple things at once, please give them the same rank. If you can't remember the order, please try to pick at least one thing you did first and order all the other things you did equally. (e.g. all as 2nd or all as 3rd)

6. How long did you live with your asthma symptoms before seeking professional help (e.g. visiting a GP or A&E)?

0

Common symptoms include increasing breathlessness, a persistent chesty cough with phlegm that does not go away, frequent chest infections and persistent wheezing.

Less than 1 month

Went to A&E

- O 1 2 months
- 3 6 months
- O 7 12 months
- O 1 2 years
- O 3 5 years

0

- O 6- 10 years
- O 10 + years
- I don't know / not applicable
- 7. What motivated you to seek professional help? Please tick all that apply
- \bigcirc ~ I was worried about my symptoms
- \bigcirc $\hfill \hfill \hf$
- \bigcirc My partner encouraged me to seek help
- \odot ~ There's a history of respiratory disease in my family so I was aware of the risks
- \bigcirc $\hfill \hfill \hf$
- I read or saw something on the internet that motivated me to take action I read or saw something on the TV that motivated me to take action
- I had a scare such as collapsing
- Other (please specify)
- O None of the above / I don't know

8. What, if anything, prevented you from seeking professional help earlier? Please tick all that apply

- Busy at work
- Busy with home life
- \bigcirc \quad Not being registered with a GP
- Not knowing the signs of potential lung disease
- Not appreciating the severity or urgency of the situation
- Not wanting to know if something was wrong
- Hoping things would go away on their own
- Concern about catching Covid
- \bigcirc Not being able to get an appointment at a time that suited me
- Other (please specify)
- None of the above / I don't know
- 9. How long did you have to wait between seeking / receiving professional help for your asthma (e.g. visiting a GP or A&E) and receiving a formal diagnosis? Please estimate if you're not sure
- Less than 1 week
- O 1 2 weeks
- O 2 4 weeks
- O 1 2 months
- O 3 6 month
- O 7 12 months
- 1 2 years
- O 2 5 years
- O 5- 10 years
- O 10+ years
- I don't remember

10. What year were you first diagnosed with asthma? Please give your best guess if you can't remember.

11.	Where were you when you	ı were given your	asthma diagnosis
-----	-------------------------	-------------------	------------------

- GP practice
-) A&E
- O Whilst admitted as a hospital inpatient
- O Hospital outpatients department (respiratory clinic)
- O Hospital outpatients department (other clinic)
- At home (told of my diagnosis over the phone)
- O Other (please specify)
- None of the above / I don't know
- 12. How were you diagnosed? Please tick all that apply
- O Discussion with my doctor
- O Spirometry (breathing test where you blow hard into a mouthpiece on a small machine)
- 6-minute walking test
- Chest x-ray
- Oxygen saturation (finger probe) test
- Phlegm (sputum) test
- Sweat test
- O CT scan
- Other scan
- Bronchoscopy (when a flexible tube is put into your nose or mouth and into your lungs)
- Lung biopsy
- \odot Bronchoalveolar lavage (when liquid is put through the bronchoscope to get a sample)
- Blood tests
- Feno testing (test where you breath out slowly through a filter into a portable machine)
- Pulmonary Exercise Stress Test
- Histamine testing (skin prick test to look for allergies)
- Other (please specify)
 - None of the above / I don't know
- 13. Had you heard of asthma before you were diagnosed?
- O Yes
- O No
- I don't know
- 14. Did your symptoms worsen between first seeking professional help and getting your diagnosis?
- O Yes
- O No
- I don't know
- 15. Do you feel your diagnosis was delayed?
- O Yes
- O No
- I don't know
- 16. If you feel that your diagnosis was delayed, how did this affect you? Please tick all that apply
- I worried for longer than I needed to

0	I felt my condition worsened more than it had to
0	I became demotivated
0	My mental health suffered
0	I felt like I wasn't being taken seriously
0	I didn't get medication quickly enough
0	I didn't get advice on managing my condition quickly enough
0	Other (please specify)
0	None of the above / I don't know
	. What were the main barriers, if any, to getting a diagnosis? Please tick all that apply
0	Being treated for another lung condition
0	Being treated for another non-lung condition (e.g. heart condition)
0	Symptoms were attributed to a pre-existing condition that I had
0	Lack of expertise or knowledge, e.g. Healthcare professional not recognising my symptoms
0	Lack of effort or motivation, e.g. Healthcare professional not taking the time to investigate
0	
0	Feeling like I had to fight for my care, e.g. being turned away by my GP
0	Difficulty getting appointments
	Long waiting times or delays
0	Lack of follow up to discuss test results
0	COVID-19
0	I was misdiagnosed
0	Other (please specify)
0	I do not recall there being any barriers
18	. What factors do you think contributed to your asthma? Please tick all that apply
0	Smoking
0	Passive smoking
0	Genetic factors
0	Poor housing (e.g. damp, mould, living near sewage)
0	Air pollution
0	Exposure at work
0	Previous infections
0	Poor health
0	Other (please specify)
0	None of the above / I don't know
	Had you already been diagnosed with any heart or lung problems prior to your asthma diagnosis?
0	······································
0	Yes
0	No
0	I don't know
	s, please specify the name of these
., yc	
20. I	n the year after being diagnosed, were you offered the following vaccines?

	l received this vaccine	l was offered this vaccine but did not receive it	l was not offered this vaccine	l don't know
Annual flu jab	0	0	0	0
Pneumonia Jab	0	0	0	0

Questions about you help us understand if healthcare is being delivered fairly to all people no matter their location, age, gender, ethnicity or socio-economic background.

19. What was your postcode leading up to your diagnosis? Please provide your full postcode.

By survey participants providing their postcodes it allows us to explore how the delivery of healthcare varies across country, between local areas and between different groups of people. Using this we can understand if healthcare is being delivered fairly to all people or if certain socio- economic factors affect your care.

20.	
0	Under 18
0	18-24
0	25-34
0	35-44
0	45-54
0	55-64
0	65-74
0	75-84
0	85-94
0	95+
0	Prefer not to say
21.	What is your gender?
0	Male
0	Female
0	I prefer to self describe
-1-	
0	I would prefer not to say
22.	
0	White
0	Mixed or Multiple ethnic groups
0	Asian or Asian British
0	Black, African, Caribbean or Black British
	Arab
0	
0	Prefer not to say

- 23. Do you belong to or follow any patient advisory groups? Please tick all that apply
- O Patient support group
- O British Lung Foundation Breathe Easy group
- Facebook groups/pages/accounts relating to asthma
- \bigcirc Instagram accounts relating to asthma
- \bigcirc Twitter accounts relating to asthma
- Other social media relating to asthma
- Online patient forum/group
- WhatsApp group relating to asthma
- O Other (please specify)
- I don't belong to or follow any patient advisory groups

Appendix 2 Examples of Chi-squared test

disease * Not appreciating the severity or urgency of the situation

			Not appreciating urgency of t		
				Not appreciating the severity or urgency of the situation	Total
disease	Asthma	Count	80	39	119
		% within disease	67.2%	32.8%	100.0%
		Standardized Residual	1.6	-1.8	
	COPD	Count	65	91	156
	% within disease	41.7%	58.3%	100.0%	
		Standardized Residual	-2.4	2.7	
	Broch	Count	40	16	56
		% within disease	71.4%	28.6%	100.0%
		Standardized Residual	1.5	-1.7	
	ILD	Count	38	29	67
		% within disease	56.7%	43.3%	100.0%
		Standardized Residual	.1	1	
Total		Count	223	175	398
		% within disease	56.0%	44.0%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	24.522 ^a	3	<.001
Likelihood Ratio	24.809	3	<.001
N of Valid Cases	398		
	1.1	7.7 77	

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 24.62.

disease * Not wanting to know if something was wrong

Crosstab

			Not wanting to know if something was wrong		
				Not wanting to know if something was wrong	Total
disease Asthma	Asthma	Count	110	9	119
		% within disease	92.4%	7.6%	100.0%
COPD		Standardized Residual	.6	-1.5	
	COPD	Count	123	33	156
		% within disease	78.8%	21.2%	100.0%
		Standardized Residual	-1.2	3.1	
	Broch	Count	53	3	56
		% within disease	94.6%	5.4%	100.0%
		Standardized Residual	.6	-1.5	
	ILD	Count	63	4	67
		% within disease	94.0%	6.0%	100.0%
		Standardized Residual	.6	-1.5	
Total		Count	349	49	398
		% within disease	87.7%	12.3%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	18.788 ^a	3	<.001
Likelihood Ratio	18.513	3	<.001
N of Valid Cases	398		

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 6.89.

disease * Not knowing the signs of potential lung disease

Crosstab

		Not knowing the signs of potential lung disease			
				Not knowing the signs of potential lung disease	Total
disease Asthma	Asthma	Count	106	13	119
		% within disease	89.1%	10.9%	100.0%
		Standardized Residual	2.0	-3.3	
	COPD	Count	98	58	156
		% within disease	62.8%	37.2%	100.0%
		Standardized Residual	-1.5	2.6	
	Broch	Count	45	11	56
		% within disease	80.4%	19.6%	100.0%
		Standardized Residual	.6	-1.0	
ILD	ILD	Count	43	24	67
		% within disease	64.2%	35.8%	100.0%
		Standardized Residual	9	1.5	
Total		Count	292	106	398
		% within disease	73.4%	26.6%	100.0%

Chi-Square Tests

	Value	df	Asymptotic Significance (2-sided)
Pearson Chi-Square	28.203 ^a	3	<.001
Likelihood Ratio	30.454	3	<.001
N of Valid Cases	398		

a. 0 cells (0.0%) have expected count less than 5. The minimum expected count is 14.91.

Appendix 3

The questions (7 questions) that have other (others, pleases specify) for an answer

1. Thinking just about your diagnosis of COPD, which of the following symptoms did you experience before seeking professional help. Please tick all that apply

2. What caused you to notice something was wrong? Please tick all that apply

3. What motivated you to seek professional help? Please tick all that apply

4. What, if anything, prevented you from seeking professional help earlier? Please tick all that apply

5. If you feel that your diagnosis was delayed, how did this affect you? Please tick all that apply

6. What factors do you think contributed to your COPD? Please tick all that apply?