

Table S5. Proportional contributions by age and year for pCAP attributed to PCV13 serotypes from 2010 to 2015.

Category	Age (years)	Proportion (%) by year(s)					2010-2015
		2011	2012	2013	2014	2015	
PCV13 pCAP (any test) ¹	All ages (16+)	72.9 (70/96)	75.4 (89/118)	63.5 (101/159)	72.0 (77/107)	69.9 (72/103)	70.4 (418/594)
	16-49	30.0 (21/70)	24.7 (22/89)	21.8 (22/101)	32.5 (25/77)	19.4 (14/72)	25.6 (107/418)
	50-64	34.3 (24/70)	25.8 (23/89)	33.7 (34/101)	32.5 (25/77)	40.3 (29/72)	33.0 (138/418)
	65+	35.7 (25/70)	49.4 (44/89)	44.6 (45/101)	35.1 (27/77)	40.3 (29/72)	41.4 (173/418)
	50+	70.0 (49/70)	75.3 (67/89)	78.2 (79/101)	67.5 (52/77)	80.6 (58/72)	74.4 (311/418)
	All ages	95.0 (19/20)	88.2 (30/34)	73.7 (42/57)	73.3 (22/30)	73.1 (19/26)	79.0 (132/167)
PCV13 pCAP (all tests) ²	16-49	26.3 (5/19)	20.0 (6/30)	33.3 (14/42)	27.3 (6/22)	26.3 (5/19)	27.3 (36/132)
	50-64	26.3 (5/19)	43.3 (13/30)	23.8 (10/42)	40.9 (9/22)	31.6 (6/19)	32.6 (43/132)
	65+	47.4 (9/19)	36.7 (11/30)	42.9 (18/42)	31.8 (7/22)	42.1 (8/19)	40.2 (53/132)
	50+	73.7 (14/19)	80.0 (24/30)	66.7 (28/42)	72.7 (16/22)	73.7 (14/19)	72.7 (96/132)
	All ages	95.0 (19/20)	88.2 (30/34)	73.7 (42/57)	73.3 (22/30)	73.1 (19/26)	79.0 (132/167)

¹CAP cases that tested positive for *S. pneumoniae* by any or all² diagnostic tests identified as a PCV13 serotype. Note: CIRN SOS surveillance was initiated December 1, 2010, and as such, only a limited number of cases were identified in 2010. These data were not presented. Abbreviations: pneumococcal CAP (pCAP); 13-valent pneumococcal conjugate (PCV13).